



Data Sheet

Issued:

23-Jul-2009

Product Name

ShellSol TD

Product Code
Q7411 Africa
Product Category
Isoparaffins
CAS Registry Number

64741-65-7

EINECS Number

265-067-2

Description

ShellSol TD is a synthetical isoparaffinic hydrocarbon solvent with a characteristic low odour.

Typical Properties

Property	Unit	Method	Value
Density @15°C	kg/l	ASTM D4052	0.751
Cubic Expansion Coefficient @20°C	(10 ⁻⁴)/°C	Calculated	10
Refractive Index @20°C	-	ASTM D1218	1.420
Color	Saybolt	ASTM D156	+30
Bromine Index	mg Br/100g	ASTM D2710	300
Distillation, IBP	°C	ASTM D1078	174
Distillation, DP	°C	ASTM D1078	187
Relative Evaporation Rate (nBuAc=1)	-	ASTM D3539	0.16
Antoine Constant A #	kPa, °C	-	6.41880
Antoine Constant B #	kPa, °C	-	1745.60
Antoine Constant C #	kPa, °C	-	222.160
Antoine Constants: Temperature range	°C	-	+40 to +140
Vapor Pressure @0°C	kPa	Calculated	0.04
Vapor Pressure @20°C	kPa	Calculated	0.16
Saturated Vapor Concentration @20°C	g/m ³	Calculated	11
Paraffins	% m/m	GC	> 98
Naphthenes	% m/m	GC	< 2
Aromatics	mg/kg	SMS 2728	50
Benzene	mg/kg	GC	< 3
Sulfur	mg/kg	SMS 1897	< 0.5
Flash Point	°C	IP 170	46
Auto Ignition Temperature	°C	ASTM E659	450
Explosion Limit: Lower	%v/v	-	0.6
Explosion Limit: Upper	%v/v	-	6.0

Electrical Conductivity @20°C	pS/m	-	< 1
Aniline Point	°C	ASTM D611	84
Kauri-Butanol Value	-	ASTM D1133	26
Pour Point	°C	ASTM D97	< -50
Surface Tension @20°C	mN/m	Du Nouy ring	23
Viscosity @25°C	mm ² /s	ASTM D445	1.6
Hildebrand Solubility Parameter	(cal/cm ³) ^{1/2}	-	7.3
Hydrogen Bonding Index	-	-	0
Fractional Polarity	-	-	0
Molecular Weight	g/mol	Calculated	161

(#) In the Antoine temperature range, the vapor pressure P (kPa) at temperature T (°C) can be calculated by means of the Antoine equation: $\log P = A - B/(T+C)$

Test Methods

Copies of copyrighted test methods can be obtained from the issuing organisations:

American Society for Testing and Materials (ASTM) : www.astm.org

Energy Institute (IP) : www.energyinst.org.uk

Shell Method Series (SMS) methods are issued by Shell Global Solutions International B.V., Shell Research and Technology Centre, Amsterdam, The Netherlands. Copies of SMS can be obtained through your local Shell Chemicals company.

For routine quality control analyses, local test methods may be applied that are different from those mentioned in this datasheet. Such methods have been validated and can be obtained through your local Shell Chemicals company.

Quality

ShellSol TD does not contain detectable quantities of polycyclic aromatics, heavy metals or chlorinated compounds.

Applications

ShellSol TD is particularly used in applications that benefit from low odour. These include household products (cleaners, lighter fuels, waxes and polishes), surface coatings, printing inks, industrial and textile cleaning, photocopier toner dispersants, cosmetics, pesticide formulations and wallpaper manufacture.

Hazard Information

For detailed Hazard Information please refer to the Material Safety Data Sheet on www.shell.com/chemicals.

Storage and Handling

Provided proper storage and handling precautions are taken we would expect ShellSol TD to be technically stable for at least 12 months. For detailed advice on Storage and Handling please refer to the Material Safety Data Sheet on www.shell.com/chemicals.

Warranty

All products purchased or supplied by Shell Chemicals are subject to terms and conditions set out in the contract, order acknowledgment and/or bill of lading. Shell Chemicals warrant that their product will meet those specifications designated as such herein or in other publications. All other information including that herein, supplied by Shell Chemicals is considered accurate but is furnished upon the express condition that the customer shall make its own assessment to determine the products' suitability for a particular purpose. Shell Chemicals make no other warranty either expressed or implied, regarding such other information, the data upon which the same is based, or the results to be obtained from use thereof; that any products shall be merchantable or fit for any purpose; or that the use of such other information or

product will not infringe any patent.

The expression 'Shell Chemicals' refers to the companies of the Shell Group that are engaged in chemical businesses. Each of the companies that make up the Shell Group of companies is an independent entity and has its own separate identity.

Trademark

ShellSol is a Shell Trademark.
