

Data Sheet	<b>Issued:</b> 19-Oct-2007					
Product Name	Xylene S					
Product Code	T1404 Asia	a Pacific	ANZ	,		
Product Category	Aromatics					
CAS Registry Number	1330-20-7					
Description	Xylene S is a narrow boiling range, medium evaporating solvent widely used in the paint and chemical industries.					
Sales Specification	Property	Unit	Min	Max	Method	
	Appearance Clear and Free From Suspended Mat Visual					
	Density @15°C	g/ml	0.865	0.875	ASTM D4052	
	Color	Saybolt	25		ASTM D156	
	Distillation, IBP	°C	137		ASTM D1078	
	Distillation, DP	°C		143	ASTM D1078	
	Non-Aromatics	%v/v		4.0	GC	
	Flash Point (Abel)	°C	24		IP 170	
Typical Properties	Property		Unit	Method	Value	
	Density @15°C		kg/l	ASTM D4052	0.871	
	Color		Saybolt	ASTM D156	+30	
	Bromine Index		mg Br/100g	ASTM D1492	120	
	Acid Wash Color		-	ASTM D848	8	
	Distillation, IBP		°C	ASTM D1078	138	
	Distillation, DP		°C	ASTM D1078	142	
	Paraffins		% m/m	GC	< 1	
	Naphthenes		% m/m	GC	< 1	
	Aromatics		% m/m	GC	99	
	Non-Aromatic Hydrocarbo	ons	%v/v °C	GC	] 27	
	Flash Point	°⊂	°C	IP 170	27 400	
	Electrical Conductivity @23		pS/m	ASTM D2624	400	

Test Methods	Copies of copyrighted test methods can be obtained from the issuing organisations:				
	American Society for Testing and Materials (ASTM) : www.astm.org   Energy Institute (IP) : www.energyinst.org.uk				
	For routine quality control analyses, local test methods may be applied that are different from those mentioned in this datasheet. Such methods have been validated and can be obtained through your local Shell Chemicals company.				
Quality	Xylene S does not contain detectable quantities of polycyclic aromatics, heavy metals or chlorinated compounds.				
Storage and Handling	Provided proper storage and handling precautions are taken we would expect Xylene S to be technically stable for at least 12 months. For detailed advice on Storage and Handling please refer to the Material Safety Data Sheet on www.shell.com/chemicals.				
Hazard Information	For detailed Hazard Information please refer to the Material Safety Data Sheet on www.shell.com/chemicals.				
Warranty	All products purchased or supplied by Shell Chemicals are subject to terms and conditions set out in the contract, order acknowledgment and/or bill of lading. Shell Chemicals warrant that their product will meet those specifications designated as such herein or in other publications. All other information including that herein, supplied by Shell Chemicals is considered accurate but is furnished upon the express condition that the customer shall make its own assessment to determine the products' suitability for a particular purpose. Shell Chemicals make no other warranty either expressed or implied, regarding such other information, the data upon which the same is based, or the results to be obtained from use thereof; that any products shall be merchantable or fit for any purpose; or that the use of such other information or product will not infringe any patent. The expression 'Shell Chemicals' refers to the companies of the Shell Group that are engaged in chemical businesses. Each of the companies of the Shell Group that are engaged in chemical businesses. Each of the companies that make up the Shell Group of companies is an independent entity and has its own separate identity.				